


45° DEGREE 45° Y-SHAPED SILICONE BLADDERS



45° ANGLE

Specifies the angle of the lateral relative to the main line


1 Lateral 1 diameter
Specifies the diameter of the first lateral

2 Main Diameter
Specifies the diameter of the main line


3 Main total length
Specifies the length of the main line bladder

4 Lateral effective length
Specifies the length of the lateral bladders

Main diameter	70mm(2.76")
Lateral 1 diameter	50mm(1.97")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	0.8mm
Lateral material thickness	0.8mm
Cap type	Flat




Main diameter	63mm(2.48")
Lateral 1 diameter	63mm(2.48")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	0.8mm
Lateral material thickness	0.8mm
Cap type	Flat



70x70mm, 1000mm/400mm

SKU: BB1-070-070-045-V0


Main diameter	70mm(2.76")
Lateral 1 diameter	70mm(2.76")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	0.8mm
Lateral material thickness	0.8mm
Cap type	Flat



100x50mm, 1000mm/400mm

SKU: BB1-100-050-045-V0


Main diameter	100mm(3.94")
Lateral 1 diameter	50mm(1.97")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	0.8mm
Cap type	Flat



100x63mm, 1000mm/400mm

SKU: BB1-100-063-045-V0


Main diameter	100mm(3.94")
Lateral 1 diameter	63mm(2.48")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	0.8mm
Cap type	Flat




100x70mm, 1000mm/400mm

SKU: BB1-100-070-045-V0


Main diameter	100mm(3.94")
Lateral 1 diameter	70mm(2.76")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	0.8mm
Cap type	Flat



Main diameter	100mm(3.94")
Lateral 1 diameter	100mm(3.94")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome




Main diameter	125mm(4.92")
Lateral 1 diameter	50mm(1.97")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	0.8mm
Cap type	Flat



125x70mm, 1000mm/400mm

SKU: BB1-125-070-045-V0


Main diameter	125mm(4.92")
Lateral 1 diameter	70mm(2.76")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	0.8mm
Cap type	Flat




125x100mm, 1000mm/400mm

SKU: BB1-125-100-045-V0


Main diameter	125mm(4.92")
Lateral 1 diameter	100mm(3.94")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome




Main diameter	125mm(4.92")
Lateral 1 diameter	125mm(4.92"
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome




Main diameter	150mm(5.91")
Lateral 1 diameter	50mm(1.97")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	0.8mm
Cap type	Flat




Main diameter	150mm(5.91")
Lateral 1 diameter	70mm(2.76")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	0.8mm
Cap type	Flat




Main diameter	150mm(5.91")
Lateral 1 diameter	100mm(3.94")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome



Main diameter	150mm(5.91")
Lateral 1 diameter	125mm(4.92")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome




Main diameter	150mm(5.91")
Lateral 1 diameter	150mm(5.91")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome



200x50mm, 1000mm/400mm

SKU: BB1- 200- 050- 045- V0


Main diameter	200mm(7.87")
Lateral 1 diameter	50mm(1.97")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	0.8mm
Cap type	Flat



200x70mm, 1000mm/400mm

SKU: BB1- 200- 070- 045- V0


Main diameter	200mm(7.87")
Lateral 1 diameter	70mm(2.76")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	0.8mm
Cap type	Flat



200x100mm, 1000mm/400mm

SKU: BB1-200-100-045-V0


Main diameter	200mm(7.87")
Lateral 1 diameter	100mm(3.94")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome




200x125mm, 1000mm/400mm

SKU: BB1-200-125-045-V0


Main diameter	200mm(7.87")
Lateral 1 diameter	125mm(4.92")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome



Main diameter	200mm(7.87")
Lateral 1 diameter	150mm(5.91")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome




Main diameter	200mm(7.87")
Lateral 1 diameter	200mm(7.87")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome



225x50mm, 1000mm/400mm

SKU: BB1- 225- 050- 045- V0


Main diameter	225mm(8.86")
Lateral 1 diameter	50mm(1.97")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	0.8mm
Cap type	Flat



225x70mm, 1000mm/400mm

SKU: BB1- 225- 070- 045- V0


Main diameter	225mm(8.86")
Lateral 1 diameter	70mm(2.76")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	0.8mm
Cap type	Flat



225x100mm, 1000mm/400mm

SKU: BB1-225-100-045-V0


Main diameter	225mm(8.86")
Lateral 1 diameter	100mm(3.94")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome



225x125mm, 1000mm/400mm

SKU: BB1- 225- 125- 045- V0


Main diameter	225mm(8.86")
Lateral 1 diameter	125mm(4.92")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome



225x150mm, 1000mm/400mm

SKU: BB1-225-150-045-V0


Main diameter	225mm(8.86")
Lateral 1 diameter	150mm(5.91")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome



225x200mm, 1000mm/400mm

SKU: BB1-225-200-045-V0


Main diameter	225mm(8.86")
Lateral 1 diameter	200mm(7.87")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome



225x225mm, 1000mm/400mm

SKU: BB1-225-225-045-V0


Main diameter	225mm(8.86")
Lateral 1 diameter	225mm(8.86")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome




250x50mm, 1000mm/400mm

SKU: BB1- 250- 050- 045- V0


Main diameter	250mm(9.84")
Lateral 1 diameter	50mm(1.97")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	0.8mm
Cap type	Flat



Main diameter	250mm(8.86")
Lateral 1 diameter	70mm(2.76")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	0.8mm
Cap type	Flat




Main diameter	250mm(9.84")
Lateral 1 diameter	100mm(3.94")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome



250x125mm, 1000mm/400mm

SKU: BB1- 250- 125- 045- V0


Main diameter	250mm(9.84")
Lateral 1 diameter	125mm(4.92")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome



250x150mm, 1000mm/400mm

SKU: BB1- 250- 150- 045- V0


Main diameter	250mm(9.84")
Lateral 1 diameter	150mm(5.91")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome



250x200mm, 1500mm/400mm

SKU: BB1-250-200-045-V0


Main diameter	250mm(9.84")
Lateral 1 diameter	200mm(7.87")
Degrees main-lateral	45°
Main section total length	1500mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome



250x225mm, 1500mm/400mm

SKU: BB1- 250- 225- 045- V0


Main diameter	250mm(9.84")
Lateral 1 diameter	225mm(8.86")
Degrees main-lateral	45°
Main section total length	1500mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome



250x250mm, 1500mm/400mm

SKU: BB1- 250- 250- 045- V0


Main diameter	250mm(9.84")
Lateral 1 diameter	250mm(9.84")
Degrees main-lateral	45°
Main section total length	1500mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome




300x50mm, 1000mm/400mm

SKU: BB1- 300- 050- 045- V0


Main diameter	300mm(11.81")
Lateral 1 diameter	50mm(1.97")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	0.8mm
Cap type	Flat




Main diameter	300mm(11.81")
Lateral 1 diameter	70mm(2.76")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	0.8mm
Cap type	Flat




Main diameter	300mm(11.81")
Lateral 1 diameter	100mm(3.94")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome



Main diameter	300mm(11.81")
Lateral 1 diameter	125mm(4.92")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome




Main diameter	300mm(11.81")
Lateral 1 diameter	150mm(5.91")
Degrees main-lateral	45°
Main section total length	1000mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome



300x200mm, 1500mm/400mm

SKU: BB1- 300- 200- 045- V0


Main diameter	300mm(11.81")
Lateral 1 diameter	200mm(7.87")
Degrees main-lateral	45°
Main section total length	1500mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome




300x225mm, 1500mm/400mm

SKU: BB1- 300- 225- 045- V0


Main diameter	300mm(11.81")
Lateral 1 diameter	225mm(8.86")
Degrees main-lateral	45°
Main section total length	1500mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome




Main diameter	300mm(11.81")
Lateral 1 diameter	250mm(9.84")
Degrees main-lateral	45°
Main section total length	1500mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome




Main diameter	300mm(11.81")
Lateral 1 diameter	300mm(11.81")
Degrees main-lateral	45°
Main section total length	1500mm
Lateral effective length	400mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome



Main diameter	70mm(2.76")
Lateral 1 diameter	70mm(2.76")
Degrees main-lateral	45°
Main section total length	700mm
Lateral effective length	450mm
Main material thickness	0.8mm
Lateral material thickness	0.8mm
Cap type	Flat
Main section downstream length	Open
Main section upstream length	Capped




Main diameter	100mm(3.94")
Lateral 1 diameter	100mm(3.94")
Degrees main-lateral	45°
Main section total length	700mm
Lateral effective length	450mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Flat
Main section downstream length	Open
Main section upstream length	Capped



125x125mm, 700mm/450mm

SKU: BB1-125-125-045-070-045-V0


Main diameter	125mm(4.92")
Lateral 1 diameter	125mm(4.92")
Degrees main-lateral	45°
Main section total length	700mm
Lateral effective length	450mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Flat
Main section downstream length	Open
Main section upstream length	Capped



150x100mm, 700mm/450mm

SKU: BB1-150-100-045-070-045-V0


Main diameter	150mm(5.91")
Lateral 1 diameter	100mm(3.94")
Degrees main-lateral	45°
Main section total length	700mm
Lateral effective length	450mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Flat
Main section downstream length	Open
Main section upstream length	Capped



150x150mm, 800mm/450mm

SKU: BB1-150-150-045-080-045-V0


Main diameter	150mm(5.91")
Lateral 1 diameter	150mm(5.91")
Degrees main-lateral	45°
Main section total length	800mm
Lateral effective length	450mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Flat
Main section downstream length	Open
Main section upstream length	Capped



70x70mm, 700mm/750mm

SKU: BB1-070-070-045-070-075-V0


Main diameter	70mm(2.76")
Lateral 1 diameter	70mm(2.76")
Degrees main-lateral	45°
Main section total length	700mm
Lateral effective length	750mm
Main material thickness	0.8mm
Lateral material thickness	0.8mm
Cap type	Flat
Main section downstream length	Open
Main section upstream length	Capped



100x100mm, 700mm/750mm

SKU: BB1-100-100-045-070-075-V0


Main diameter	100mm(3.94")
Lateral 1 diameter	100mm(3.94")
Degrees main-lateral	45°
Main section total length	700mm
Lateral effective length	750mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Flat
Main section downstream length	Open
Main section upstream length	Capped




125x125mm, 700mm/750mm

SKU: BB1-125-125-045-070-075-V0


Main diameter	125mm(4.92")
Lateral 1 diameter	125mm(4.92")
Degrees main-lateral	45°
Main section total length	700mm
Lateral effective length	750mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Flat
Main section downstream length	Open
Main section upstream length	Capped



Main diameter	150mm(5.91")
Lateral 1 diameter	100mm(3.94")
Degrees main-lateral	45°
Main section total length	700mm
Lateral effective length	750mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Flat
Main section downstream length	Open
Main section upstream length	Capped




Main diameter	150mm(5.91")
Lateral 1 diameter	150mm(5.91")
Degrees main-lateral	45°
Main section total length	800mm
Lateral effective length	750mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Flat
Main section downstream length	Open
Main section upstream length	Capped



70x70mm, 700mm/1350mm

SKU: BB1-070-070-045-070-135-V0


Main diameter	70mm(2.76")
Lateral 1 diameter	70mm(2.76")
Degrees main-lateral	45°
Main section total length	700mm
Lateral effective length	1350mm
Main material thickness	0.8mm
Lateral material thickness	0.8mm
Cap type	Flat
Main section downstream length	Open
Main section upstream length	Capped



100x100mm, 700mm/1350mm

SKU: BB1-100-100-045-070-135-V0


Main diameter	100mm(3.94")
Lateral 1 diameter	100mm(3.94")
Degrees main-lateral	45°
Main section total length	700mm
Lateral effective length	1350mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Flat
Main section downstream length	Open
Main section upstream length	Capped



125x125mm, 700mm/1350mm

SKU: BB1-125-125-045-070-135-V0


Main diameter	125mm(4.92")
Lateral 1 diameter	125mm(4.92")
Degrees main-lateral	45°
Main section total length	700mm
Lateral effective length	1350mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Flat
Main section downstream length	Open
Main section upstream length	Capped



150x100mm, 700mm/1350mm

SKU: BB1-150-100-045-070-135-V0


Main diameter	150mm(5.91")
Lateral 1 diameter	100mm(3.94")
Degrees main-lateral	45°
Main section total length	700mm
Lateral effective length	1350mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Flat
Main section downstream length	Open
Main section upstream length	Capped



150x150mm, 800mm/1350mm

SKU: BB1-150-150-045-080-135-V0


Main diameter	150mm(5.91")
Lateral 1 diameter	150mm(5.91")
Degrees main-lateral	45°
Main section total length	800mm
Lateral effective length	1350mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Flat
Main section downstream length	Open
Main section upstream length	Capped



70x70mm, 1200mm/500mm

SKU: BB1-070-070-045-120-050-V0


Main diameter	70mm(2.76")
Lateral 1 diameter	70mm(2.76")
Degrees main-lateral	45°
Main section total length	1200mm
Lateral effective length	500mm
Main material thickness	0.8mm
Lateral material thickness	0.8mm
Cap type	Flat
Main section upstream length	500mm



100x70mm, 1200mm/500mm

SKU: BB1-100-070-045-120-050-V0


Main diameter	100mm(3.94")
Lateral 1 diameter	70mm(2.76")
Degrees main-lateral	45°
Main section total length	1200mm
Lateral effective length	500mm
Main material thickness	1.0mm
Lateral material thickness	0.8mm
Cap type	Flat
Main section upstream length	500mm




100x100mm, 1200mm/500mm

SKU: BB1-100-100-045-120-050-V0


Main diameter	100mm(3.94")
Lateral 1 diameter	100mm(3.94")
Degrees main-lateral	45°
Main section total length	1200mm
Lateral effective length	500mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome
Main section upstream length	500mm




Main diameter	150mm(5.91")
Lateral 1 diameter	100mm(3.94")
Degrees main-lateral	45°
Main section total length	1200mm
Lateral effective length	500mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome
Main section upstream length	500mm




Main diameter	150mm(5.91")
Lateral 1 diameter	150mm(5.91")
Degrees main-lateral	45°
Main section total length	1200mm
Lateral effective length	500mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome
Main section upstream length	500mm




Main diameter	100mm(3.94")
Lateral 1 diameter	100mm(3.94")
Degrees main-lateral	45°
Main section total length	1300mm
Lateral effective length	450mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome




Main diameter	150mm(5.91")
Lateral 1 diameter	100mm(3.94")
Degrees main-lateral	45°
Main section total length	1300mm
Lateral effective length	450mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome




Main diameter	150mm(5.91")
Lateral 1 diameter	150mm(5.91")
Degrees main-lateral	45°
Main section total length	1300mm
Lateral effective length	450mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome




Main diameter	225mm(8.86")
Lateral 1 diameter	100mm(3.94")
Degrees main-lateral	45°
Main section total length	1300mm
Lateral effective length	450mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome




Main diameter	225mm(8.86")
Lateral 1 diameter	150mm(5.91")
Degrees main-lateral	45°
Main section total length	1300mm
Lateral effective length	450mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Dome




Main diameter	100mm(3.94")
Lateral 1 diameter	70mm(2.76")
Degrees main-lateral	45°
Main section total length	1500mm
Lateral effective length	700mm
Main material thickness	1.0mm
Lateral material thickness	0.8mm
Cap type	Flat
Main section upstream length	500mm




Main diameter	100mm(3.94")
Lateral 1 diameter	100mm(3.94")
Degrees main-lateral	45°
Main section total length	1500mm
Lateral effective length	700mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Flat
Main section upstream length	500mm




Main diameter	150mm(5.91")
Lateral 1 diameter	70mm(2.76")
Degrees main-lateral	45°
Main section total length	1500mm
Lateral effective length	700mm
Main material thickness	1.0mm
Lateral material thickness	0.8mm
Cap type	Flat
Main section upstream length	500mm




Main diameter	150mm(5.91")
Lateral 1 diameter	100mm(3.94")
Degrees main-lateral	45°
Main section total length	1500mm
Lateral effective length	700mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Flat
Main section upstream length	500mm




Main diameter	150mm(5.91")
Lateral 1 diameter	150mm(5.91")
Degrees main-lateral	45°
Main section total length	1500mm
Lateral effective length	700mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Flat
Main section upstream length	500mm




Main diameter	100mm(3.94")
Lateral 1 diameter	70mm(2.76")
Degrees main-lateral	45°
Main section total length	2000mm
Lateral effective length	1300mm
Main material thickness	1.0mm
Lateral material thickness	0.8mm
Cap type	Flat
Main section upstream length	500mm




Main diameter	100mm(3.94")
Lateral 1 diameter	100mm(3.94")
Degrees main-lateral	45°
Main section total length	2000mm
Lateral effective length	1300mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Flat
Main section upstream length	500mm




Main diameter	150mm(5.91")
Lateral 1 diameter	70mm(2.76")
Degrees main-lateral	45°
Main section total length	2000mm
Lateral effective length	1300mm
Main material thickness	1.0mm
Lateral material thickness	0.8mm
Cap type	Flat
Main section upstream length	500mm



Main diameter	150mm(5.91")
Lateral 1 diameter	100mm(3.94")
Degrees main-lateral	45°
Main section total length	2000mm
Lateral effective length	1300mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Flat
Main section upstream length	500mm



Main diameter	150mm(5.91")
Lateral 1 diameter	150mm(5.91")
Degrees main-lateral	45°
Main section total length	2000mm
Lateral effective length	1300mm
Main material thickness	1.0mm
Lateral material thickness	1.0mm
Cap type	Flat
Main section upstream length	500mm



2000mm Main total length